A. 8	1			Docket Number (Optional) 850865.90015		Application Number 10/620,520			
				Applicant(s) BEAUDOIN, A.L. et al.					
	Use several effects if necessary)				Filing Date Group Art Unit				
	{	- FEB. 1 8 2004 25			July 16,	2003			
U.S. PATENT DOCUMENTS									
*EXAMINER INITIAL	REF	BORNE NUMBER	DATE		NAME	CLASS	SUBCLASS	FILING IF APPRO	
TM	1.	U.S. 6,312,662 B1	11/06/2001	Erion et	al.			· 	
		·							
				FOREIGN	PATENT DOCUMEN	TS			. 0
	REF	DOCUMENT NUMBER	DATE		COUNTRY	CLASS	SUBCLASS	Transl. YES	ation NO
		•							
			·						
				OTHER D	OCUMENTS (Includ	ling Author, Title, L	Pate, Pertinent Pag	ges, Etc.)	
TM	Burnstock, G., Campbell, G., Bennett, M., and Holman, M.E. Innervation of the Guinea-Pig Taenia Coli: are there intrisic inhibitory nerves which are distinct from sympathic nerves? Int. J. Neuropharmacol 3: 163-166, 1964.								
TM		Burnstock, G. Evolution Rev. 21 (4): 247-324, 19	Burnstock, G. Evolution of the autonomic innervation of visceral and cardiovascular systems in vertebrates. Pharmacol. Rev. 21 (4): 247-324, 1969.						
EXAMINER		Traviss Mcintosh	III/ (05/27	/2006)	DATE CONSIDERED	05/27/2006	;		
		l if citation considered, whether lude copy of this form with next			with MPEP Section 60	9; Draw line throu	gh citation if not	in conforma	nce and

ال الارس	-		Docket Number (Optional) 850865 90015	Application Number			
INI	FORM	IATION DISCLOSURE CITATION	850865.90015 Applicant(s)	10/620,520			
		(Use several sheets if Recessary)	BEAUDOIN, A.L. et al.				
		FEB 1 8 2004 2	Filing Date July 16, 2003	Group Art Unit			
*EXAMINER INITIAL		OTHER DORMENTS Uncluding Author Title	le, Date, Pertinent Pages, Etc.)				
TM	4.	Su, C., Bevan, J.A. and Burnstock, G. [3H] adenosing 173(994): 336-338, 1971.	Su, C., Bevan, J.A. and Burnstock, G. [3H] adenosine triphosphate: release during stimulation of enteric nerves. Science				
·	5.	Langer, S.Z., and Pinto, J.E.B. Possible involvement to nerves stimulation of the cat nictitating membran 697-713, 1976.	t of a transmitter different from nore; le after pretreatment with reserpine.	pinephrine in the residual responses J. Pharmacol. Exp. Ther. 196(3):			
Burnstock. G. Purinergic receptor. J. Theor. Biol. 62 (2): 491-503, 1976.			2 (2): 491-503, 1976.				
	7.	Von Kugelsen, I., and Starke, K. Noradrenaline-AT Pharmacol. Sci. 12(9): 319-324, 1991.	on Kugelsen, I., and Starke, K. Noradrenaline-ATP co-transmision in the sympathetic nervous system. Trends harmacol. Sci. 12(9): 319-324, 1991.				
	8.	Westfall, D.P., Sedaa, K.O., Shinozuka, K., Bjur, R., 300-310, 1990.	A., and Buxton, I.L.O. ATP as a Cotr	ransmitter Ann. NY Acad. Sci. 603:			
	9.	Burnstock, G. Neural nomenclature. Nature 229(528	32): 282-283, 1971.	•			
	10.	Burnstock, G. A basis for distinguishing two types of hormones: A multidisciplinary approach. (Eds. R.W.	f purinergic receptors. In: Cell memb	rane receptors for drugs and New York. Pp. 107-118, 1978.			
	11.	Fredholm, B.B., Abbracchio, M.P., Burnstock. G., D Nomenclature and classification of purinoceptors. Pl	Jaly, J.W., Harden, T.K., Jacobson, K harmacol. Rev. 46(2): 143-156, 1994.	I.A., Leff, P., and Williams, M.			
	12.	Gendron et al. ATP diphosphohydrolase inhibitors: Ecto-ATPases and Related Ectonucleotidases (June	novel perspectives. Poster Abstract, 1999).	p. 327 from conference			
	13.	Juul, B., Plesner, L., and Aalkjaer, C. Effects of ATI arteries. J. Pharmacol. Exp. Therap. 264: 1234-1240	P and related nucleotides on the tone of 1, 1993.	of isolated rat mesenteric resistance			
	14.	Motte, S., Communi, D., Pirotton, S., Boeynaems, J.M. Involvement of multiple receptors in the actions of extracellular ATP: the examples of vascular endothelial cells. Int. J. Biochem. Cell Biol. 27: 1-7, 1995.					
TM	15.	Rongen, G.A., Floras, J.S., Lender, J.W.M., Thien, 7 13-24, 1997.	Γ., and Smits, P. Cardiovascular phar	macology of purines. Clin. Sci. 92:			
EXAMINER /Tr	ravis	ss Mcintosh III/ (05/27/2006)	DATE CONSIDERED 05/27/20	06			
		citation considered, whether or not citation is in conforman copy of this form with next communication to applicant.	ice with MPEP Section 609; Draw line the	rough citation if not in conformance and			

5 5			Do	ocket Number (Optional)	Application Number
	FORM	IATION DISCLOSURE CLEANION	Ar	850865.90015 pplicant(s)	10/620,520
	U	(Use several sheets if necessar)		BEAUDOIN, A.L. et al	
		FFR 1 8 2004 💆	Fev	July 16, 2003	Group Art Unit
*EXAMINER INITIAL		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	, Title, I	Date, Pertinent Pages, Etc.)	
TM	16.	Dubyak, G.R., and El-Moatassin, C. Signal tran nucleotides. Am. J. Physiol. 265: C577-C606, 19	ısducti 193.	ion via P2-purinergic receptors for	extracellular ATP and other
	17.	Johnson, C.R., and Hourahi, S.M.O. Contractile 113(4): 1191-1196, 1994.	effect	ts of uridine 5'-triphosphate in the	rat duodenum. Br. J. Pharmacol.
	18.	Pennanen, M.F., Bass, B.L., Dziki, A.J., and Harupper gastrointestinal tract. J. Surg. Res. 56(5):	rmon, 461-4	J.W. Adenosine differential effect (65, 1994.	on blood flow to subregions of the
	19.	Strohmeier, G.R., Reppert, S.M., Lencer, W.I., a to adenosine receptor agonists in human intestin	and Ma	adana, J.L. The A2b adenosine rec thelia. J. Biol. Chem. 270(5): 2387-	eptor mediated cAMP responses 2394, 1995.
	20.	Hancock, D.L., and Coupar, I.M. Functional chain the rat jejunum. Br. J. Pharmacol 115(5): 739	aracter	rization of the adenosine receptor r 1995.	nediating inhibition of peristalsis
	21.	Sarna, S.K. Gastrointestinal longitudinal muscle	e contr	ractions. Am. J. Physiol. 265(1pt1):	G156-G164, 1993.
	22.	Baricordi, O.R., Ferrari, D., Melchiorri, L., Chie ATP-activated channel is involved in mitogenic s	ozzi. P stimula	'., Hanau, S., Chiari, E., Rubini, M ation of human T lymphocytes. Blo	., and Di Virgilio, F. An od 87(2): 682-690, 1996.
	Di Virgilio, F. The P2Z purinoceptor: an intriguing role in immunity, inflammation and cell death. Immunol. Today 524-528, 1995.				
	24.	Ventura, M.A., and Thomopoulos, P. ADP and A differetiated with 1,25-dihydroxy-vitamin D3. M	ATP ac Iol. Ph	ctivate distinct signaling pathways narmacol 47: 104-114, 1995.	in human promonocytic U-937 cells
	Biffen, M., and Alexander, D.R. Mobilization of intracellular Ca2+ by adenine nucleotides in human T-leukaemia cell evidence for ADP-specific and P2y-purinergic receptors. Biochem. J. 304:769-774, 1994.				
	26.	Apasov, S., Koshiba. M., Redegeld, F., and Sitok receptors in T-cell development and cytotoxic T	ovsky, lymph	, M.V. Role of extracellular ATP a nocyte effector functions. Immunol.	nd P1 and P2 classes of purinergic Rev. 146: 5-19, 1995.
TM	27.	Hedge, S.S., Mandel, D.A., Wilford, M.R., Briau neutransmission in the urinary bladder of pithed	id, S., I I rats.	Ford, A.P.D.W., and Eglen, R.M. I Eur. J. Pharmacol. 349(1): 75-82,	Evidence for purinergic 1998.
EXAMINER /T	ravi	iss Mcintosh III/ (05/27/2006)	D/	ATE CONSIDERED 05/27/200	6
		f citation considered, whether or not citation is in confor e copy of this form with next communication to applican		with MPEP Section 609; Draw line th	rough citation if not in conformance and

ا مرة			Docket Number (Optional)	Application Number		
	ORM	ATION DISCLOSURE CLASSICN	850865.90015 Applicant(s)	10/620,520		
		(Use several sheets if necessary)	BEAUDOIN, A.L. et al.			
		SED 1 9 2004 5	Filing Date July 16, 2003	Group Art Unit		
*EXAMINER INITIAL		OTHER DOCUMENTS (Including Author, Title	e, Date, Pertinent Pages, Etc.)			
TM	28.	Dunwiddie, T.V., Abbracchin M.P., Bischofberger, N., Brundege, J.M., Buell, G., Collo, G., Corsi, C., Diao, L., Kawashima, E., Jacobson, K.A., Latini, S., Lin, R.C.S., North, R.A., Pazzagli, M., Pedata, F., Pepeu, G.C., Proctor, W.R., Rassendren, F., Surprenant, A., and Cattabeni, F. Purinoceptors in the central nervous sytem. Drug Dev. Res. 39(3-4): 361-370, 1996.				
TM	29.	Burnstock, G., and Wood, J.N. Purinergic receptors: Their role in nociception and primary afferent neurotansmission. Curr. Opinion in Neurobiol. 6(4): 526-532, 1996.				
TM	30.	Von Kugelgen, I. Purinoceptors modulating the release of noradrenaline. J. Autonomic. Pharmacol. 14(1): 11-12, 1994.				
TM	31.	Beaudoin, A.R., Sévigny, J., and Picher, M. ATP diphosphohydrolases, apyrases and nucleotide phosphohydrolases: blochemical properties and functions. In: Biomembrane, vol. 5; Lee, A.G., Ed.; Greenwich, CT: JAI, pp. 369-401, 1996.				
No Date	32.	P. 1072 Sigma-Aidrich catalogue "Bioactive Peptides".				
TM	33.	Beaudoin, A.R., Grondin, G., Enjyoji, K., Robson, S.C., Sévigny, J., Fischer, B., and Gendron, FP. Physiological role of NTPDases (ATPdiphosphohydrolases) in mammals. Proceeding of the 2nd International Workshop on ecto-ATPase and related nucleotidases. Diepenbeek, Belgium, 14-18 June 1999. Vanduffel L., and Lemmens R., Eds. Shaker Publishing B.V., The Netherlands; pp. 125-135, 2000.				
TM	34.	Plesner, L. Ecto-ATPases: identities and functions. Int. Rev. Cytol. 158: 141-214, 1995.				
TM	35.	Vlajkovic, S.M., Thorne, P.R., Hously, G.D., Munoz, D.J.B., and Kendrick, I.S. Ecto-nucleotidases terminate purinergic signalling in the cochlear endolymphatic compartment. Neuroreport 9: 1559-1565, 1998.				
TM	36.	Zimmermann, H. 5'-Nucleotidase: molecular structure and functional aspects. Biochem. J. 285: 345-365, 1992.				
TM	37.	Laliberté, JF. and Beaudoin A.R. Sequential hydrolysis of the gama- and beta-phosphate groups of ATP by the ATP diphosphohydrolase from pig pancreas. Biochim. Biophys Acta 742(1):9-15, 1983.				
TM	38.	Côté, Y.P., Pavate C.T. and Beaudoin A.R. The control of nucleotides in blood vessels: Role of the ATP diphosphohydrolase (Apyrase). Curr. Top. Pharmacol. 1:83-92, 1992.				
TM	39.	Sévigny J., Levesque F.P., Grondin G. and Beaudoin A.R. Purification of the blood vessel ATP diphosphohydrolase, identification and localization by immunological techniques. Biochim. Biophys. Acta 1334: 73-88, 1997.				
EXAMINER /	Trav	iss Mcintosh III/ (05/27/2006)	DATE CONSIDERED 05/27/2006			
*EXAMINER: II	nitial if	citation considered, whether or not citation is in conforman	ce with MPEP Section 609; Draw line	through citation if not in conformance and		

not considered. Include copy of this form with next communication to applicant.

					Docket Number (Optional)	Application Number	
الله الله الله الله الله الله الله الله	A VELLEY T	ODA	A TION DICOLOGUE	E dans	850865.90015	10/620,520	
	INF		ATION DISCLOSUF (Use several sheets if neces		Applicant(s) BEAUDOIN, A.L. et al		
				FEB 1 8 2004	Filing Date July 16, 2003	Group Art Unit	
*EXAM	iiner		OTHER DOCUM		le, Date, Pertinent Pages, Etc.)	1	
רואו	TIAL	——————————————————————————————————————		A TRADENS			
TM		40.	LeBel D., Poirier G.G calcium sensitive ATP	., Phaneur, S., St-Jean P., Lal diphosphohydrolase from th	iberté JF. and Beaudoin A.R. Chara e pig pancreas. J. Biol. Chem. 255: 12:	cterization and purification of a 27-1233, 1980.	
		41.	Sévigny, J., Côté, Y.P. affinity labelling with	and Beaudoin, A.R. Purifica 5'- <i>p</i> -fluorosulfonylbenzoylad	tion of pancreas type I ATP diphosphenosine ATP analog. Biochem J. 312:	ohydrolase and identification by 351-356, 1995.	
		42.	Christoforidis, S., Papamarcaki, T., Galaris, D., Kellner, R. and Tsolas, O. Purification and properties of human placental ATP diphosphohydrolase. Eur. J. Biochem. 234: 66-74, 1995.				
	Kaczmarek, E., Koziack, K., Sévigny, J., Siegel, J.B., Anrather, J., Beaudoin, A.R., Back, F.H., Robson, S.C. Identificand characterization of CD39/vascular ATP diphosphohydrolase. J. Biol. Chem. 271: 33116-33122, 1996.					F.H., Robson, S.C. Identification 16-33122, 1996.	
	Maliszewski, C.R., Delespesse, G.J.T., Schoenborn, M.A., Armitage, R.J., Fanslow, W.C., Nakajima, T., Baker, Sutherland, G.R., Poindexter, K., Birks, C., Alpert, A., Friend, D., Gimpel, S.D., Gayle III, R.B. The CD39 lymatic activation antigen: Molecular cloning and structural characterization. J. Immunol. 153: 3574-3583, 1994.					, Nakajima, T., Baker, E., I, R.B. The CD39 lymphoid cell 1574-3583, 1994.	
		45.	Wang, TF., Guidotti	, G. CD39 is an ecto-(Ca2+, N	1g2+)-apyrase. J. Biol. Chem. 271: 989	98-9901, 1996.	
		46.	Barcellos, C.K., Schet acetate on synaptosom Biol. Res. 27(5): 1111-	nal ATP diphosphohydrolase	.O., Silva L.B., Dias R.D., Sarkis J.J.F (EC 3.6.1.5; apyrase) from adult rat co	I. Inhibitory effect of cadmium erebral cortex. Braz. J. Med and	
		47.	Côté, Y.P., Ouellet, S., and Beaudoin, A.R. Kinetic properties of type-II ATP diphosphohydrolase from the tunica media of bovine aorta. Biochim. Biophys. Acta 1160(3): 246-250, 1992.				
		48.	Picher, M., Sévigny, J ectonucleotidase from	., D'Orléans-Juste, P., Beaud the bovine aorta, the ATP di	oin A.R. Hydrolysis of P2-purinocepto phosphohydrolase. Biochem. Pharmac	or agonists by a purified ol. 51: 1453-1460, 1996.	
		Westfall, T.D., Kennedy, C., and Sneddon, P. The ecto-ATPase inhibitors ARL 67156 enhances parasympathetic neurotransmission in the guinea-pig urinary bladder. Eur. J. Pharmacol. 329(2-3): 169-173, 1997.					
	,	50.	Crack, B.E., Pollard., Leff, P. Pharmacologi Pharmacol. 114(2): 47	cal and biochemical analysis	s, S.M., Hunt, S.F., Ingall, A.H., McK of FPL 67156, a novel, selective inhibit	echnie, K.C.W., Ijzerman, A.P., and lor of ecto-ATPase. Br. J.	
TM	I	51.	Chen, B.C., Lee, CM C-6 glioma cells and R	l. and Lin WW. Inhibition o LAW 264.7 macrophages. Br.	f ecto-ATPase by PPADS, suramin an J. Pharmacol. 119(8): 1628-1634, 199	d reactive blue in endothelial cells, 6.	
EXAMIN	NER /I	ravi	ss Mcintosh II	[] (05/27/2006)	DATE CONSIDERED 05/27/2006		
+FW + 541	NED. I	delat te	election considered wheel	or or not sitution is in conforms	nce with MPEP Section 609: Draw line th	rough citation if not in conformance and	

not considered. Include copy of this form with next communication to applicant.

اد دین		OF	Docket Number (Optional) 850865.90015	Application Number 10/620,520		
INFORMATION DISCLOSURE CHATION C			Applicant(s) BEAUDOIN, A.L. e			
		(Use several sheets if necessary) FEB 1 8 2004	Filing Date July 16, 2003	Group Art Unit		
*EXAMINER	T	OTHER DOCUMENTS (Including States, Tit				
TM	52.	Kennedy, C., Westfall, T.D., and Sneddon, P. Mod 8(4): 195-199, 1996.		nission by ecto-ATPase. Sem. Neurosci.		
	53.	Fischer, B., Chulkin, A., Boyer, J.L., Harden, K.T. 2-thioether5'-O-(1-thiotriphosphate) adenosine der Med. Chem. 42: 3636-3646, 1999.	, Gendron, FP., Beaudoin, A.R., rivatives as new insulin secretagog	Chapal, J., Hillaire-Buys, D., Petit, P. ues acting through P2Y-receptors. J.		
	54.	Bültmann, R., Wittenburg, H., Pause, B., Kurz, G., P2-purinoceptor subtypes and ecto-nucleotidases by Pharmacol. 354: 498-504, 1996.	, Nickel, P., and Starke, K. P2-pur y compounds related to suramin.	rinoceptors antagonists; III. Blockade of Naunyn-Schmiedeberg's Arch.		
	55.	Tuluc, F., Bültmann, R., Glänzel, M., Wilhelm Franceeptor subtypes and ecto-nucleotidases by compo Parmacol. 357: 111-120, 1998.	hm, A., and Starke, K. P2-recepto bunds related to reactive blue 2. No	or antagonists: IV. Blockade of P2 aunyn-Schmiedeberg's Arch.		
	56.	Bültmann, R., and Starke, K. Reactive red 2: a P23 Naunyn-Schmiedeberg's Arch. Pharmacol. 352: 47	Y-selective purinoceptor antagonis 7-482, 1995.	st and an inhibitor of ecto-nucleotidase.		
	57.	Wittenburg, H., Bültmann, R., Pause, B., Ganter, C P2-purinoceptor subtypes and ecto-nucleotidases by Naunyn-Schmiedeberg's Arch. Pharmacol. 354: 49	by compounds related to Evans Blu	rinoceptor antagonists: II. Blockade of te and trypan blue.		
	58.	Bültmann, R., Pause, B., Wittenburg, H., Kurz, G., and Starke, K. P2-purinoceptor antagonists: I. Blockade of P2-purinoceptor subtypes and ecto-nucleotidases by small aromatic isothiocyanato-sulphonates. Naunyn-Schmiedeberg's Arch. Pharmacol. 354: 481-490, 1996.				
	59.	Bonan, C.D., Battastini, A.M.O., Schetinger, M.R.C., Moreira, C.M., Frassetto, S.S., Dias, R.D., and Sarkis, J.J.F. Effects 9-amino-1,2,3,4-tetrahydroacridine (THA) on ATP diphosphohydrolase (EC 3.6.1.5) and 5'-nucleotidases (EC 3.1.3.5) from rat brain synaptosomes. Gen. Pharmac. 28(5): 761-766, 1997.				
	60.	Gendron, FP., Halbfinger E., Fischer B., Duval M nucleoside triphosphate disphosphodydrolases: Che Characterizations. J. Med.Chem 43(11): 2239-2244	nemical Synthesis and Biochemical	oin, A.R. Novel inhibitors of and Pharmalogical		
	Fischer, B., Boyer, J.L., Hoyle, C.H.V., Ziganshin, A.U., Brizzolara, A.L., Knight, G.E., Zimmet, J., Burnstock, G., Harden, T.K. and Jacobson, K.A. Identification of potent, selective P2Y-purinoceptor agonists: structure-activity relationships for 2-thioether derivatives of adenosine 5'-triphosphate. J. Med. Chem. 36: 3937-3946, 1993.					
V	62.	Baykov A.A., Evtushenko O.A. and Avaeve S.M. A malachite green procedure for orthophosphate determination and its use i alkaline phosphatase-based enzyme immunoassay. Anal Biochem. 171: 266-270, 1988.				
TM	63.	Bradord M.M. A rapid and sensitive method for th of protein-dye binding. Anal. Biochem. 72: 248-254	e quantification of microgram qual, 1976.	antities of protein utilising the principle		
EXAMINER /	'Trav	riss Mcintosh III/ (05/27/2006)	DATE CONSIDERED 05/27/2	2006		
		f citation considered, whether or not citation is in conformate copy of this form with next communication to applicant.	ance with MPEP Section 609; Draw liv	ne through citation if not in conformance and		

7 ن			Docket Number (Optional)	Application Number		
	ORM	IATION DISCLOSURE CITATION	850865.90015 Applicant(s)	10/620,520		
	VA.	(Use several sheets if necessary)	BEAUDOIN, A.L. et al.			
		S 2000 S	Filing Date July 16, 2003	Group Art Unit		
*EXAMINER INITIAL		OTHER DOCUMENTS (Including Author, Title	le, Date, Pertinent Pages, Etc.)			
TM	64.	Berthiaume, N., Claing, A., Reschenger, T.D. neurokinins in the arterial and venous mesenteric va	., D'Orléans-Juste, P. Characterizati asculatures of the guinea-pig. Br. J. P	on of receptors for kinins and harmacol. 115: 1319-1325, 1995.		
	65.	Halbfinger, E., Major, D.T., Ritzmann, M., Ubl, J., of modified adenine nucleotides by the P2Y1-receptor 42: 5325-5337, 1999.	Reiser, G., Boyer, J.L., Harden, K.T. or. Part I. A synthetic, biochemical, a	, Fischer, B. Molecular recognition and NMR approach. J. Med. Chem.		
	66.	Major, D.T., Halbfinger, E. and Fischer, B. Molecul A computational approach. J. Med. Chem 42: 5338-	lar recognition of modified adenine notes 1999.	ucleotides by the P2Y1-receptor. II.		
	67.	Van Rhee, A.M., Fischer, B., Van Galen, P.J.M., Jac template. Drug Design and Discovery 13: 133-154, 1	cobson, K.A. Modelling the P2Y puri 1995.	noceptor using rhodopsin as		
	68.	Hirst, G.D.S., Jobling, P. The distribution of gamma the guinea-pig. Br. J. Pharmacol. 96: 993-999, 1989.	ı-adrenoceptors and P2 purinoceptor	s in mesenteric arteries and veins of		
	69.	Onaka, U., Fujii, K., Abe, I., Fujishima, M. Enhance neurotransmission via angiotensin type 1 receptor in 942-948, 1997.	ement by exogenous and locally gener the guinea-pig isolated mesenteric a	rated angiotensin II of purinergic rtery. Br. J. Pharmacol. 122:		
	70.	Fujii, K. Evidence for adenosine triphosphate as an of J. Physiol. 404: 39-52, 1988.	excitatory transmitter in guinea-pig,	rabbit and pig urinary bladder.		
TM	71.	Ishikawa, S. Actions of ATP and alpha, beta-methylene ATP on neuromuscular transmission and smooth muscle membrane of the rabbit and guinea-pig mesenteric arteries. Br. J. Pharmacol. 86: 777-787, 1985.				
			•			
EXAMINER /	Trav	riss Mcintosh III/ (05/27/2006)	DATE CONSIDERED 05/27/2006			
		citation considered, whether or not citation is in conformant copy of this form with next communication to applicant.	ce with MPEP Section 609; Draw line the	rough citation if not in conformance and		